



Data Sheet

Fujitsu STYLISTIC Q738

Advanced Hybrid Tablet PC

Tablet Mobility Meets Notebook Productivity

Fujitsu recommends Windows.

Some features described herein are noted as unavailable at present. Please see footnote #5 at the end of this document.

The FUJITSU STYLISTIC® Q738 helps you to get the job done, regardless of location and weather conditions. Its 33.8 cm (13.3-inch) Full HD display with pen and touch input and 8th gen Intel® Core™ i7 processor with vPro™ technology ensure excellent performance. A semi-ruggedized design and optional 4G/LTE help you achieve your tasks, regardless of the location and weather conditions.

Enterprise-class security features, two different dockable keyboards and an optional cradle mean that you can work in comfort and security.

Slim and semi-rugged design

Protect your tablet from environmental conditions. Work anywhere despite exposing the tablet to rain, humidity or dust with minimal component damage.

Enterprise ready

Windows® 10 Professional operating system for multitasking, security and compatibility Seamless deployment in commercial environments. Easily connect with and use established Windows-based applications.

Content creation and collaboration

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch display.

- Data entry via pen-based handwriting recognition or onscreen keyboard with predictive text on a 33.8 cm (13.3-inch)
- Full HD display, dual performance mode for extended runtime, full USB 3.0 port and optional extension cables via micro USB

User experience and connectivity

Be available practically anywhere; wireless connectivity even if there is no hotspot nearby.

- Front/rear webcams, integrated Wi-Fi, Bluetooth® and optional embedded 4G/LTE, WLAN
- Keyboard cover or docking cradle to suit different workstyles.

Manageability and security

Easy administration and protection against unauthorized third-party access.

- Latest 8th gen. Intel® Core™ i7 processor with Intel vPro™ technology, fingerprint sensor, Smart Card and embedded TPM



Technical details

Fujitsu recommends Windows.

Processor	Intel® 8th gen Core™ i7-8650U / 16GB / vPro™ Intel® 8th gen Core™ i5-8350U / 8GB or 16GB / vPro™ Intel® 7th gen Core™ i5-7200U / 8GB / non vPro™
Operating systems	Windows® 10 Pro 64-bit Windows 10 64-bit
Base unit memory	
Supported capacity RAM	Intel® Core™ i5@ 8GB, Intel® Core™ i5@8GB/16GB or Intel® Core™ i7 @16GB Supported capacity RAM (max.)
Memory slot type	LPDDR3 (1866 MHz)
Hard disk drives (internal)¹	SSD mSATA, 512 GB, Optional Opal TCG SSD mSATA, 256 GBSSD mSATA, 128 GB
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery
WLAN (optional)	Intel® Dual Band Wireless-AC 8265 (11ac/abgn) 8265 WLAN; Q7 series supports Intel® Wireless-AC 9560 Series ⁵
Wireless² technologies	
Antennas	2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN
Bluetooth	Bluetooth 4.0 LE integrated on WLAN module
WLAN notes	Import and usage according to country-specific regulations
UMTS/GPS notes	UMTS/GPS notes
3G/4G	Integrated 4G Sierra Wireless AirPrime™ EM7455 with GPS support (available post launch) ² Uses (3FF) Micro-SIM card. Slot is located on the left side of the tablet. Contact your service provider to obtain a (3FF) Micro-SIM card.
Bluetooth	Bluetooth 4.0 LE intégré au module WLAN
General system information	
Chipset	Integrated
Chipset notes	Supports iAMT 10.0, Intel® vPro™ requires Core™ i5-83xx & i7-86xx CPU, Intel WLAN 826 ac/a/b/g/n, TPM module
BIOS features	BIOS Flash EPROM BIOS based on Phoenix SecureCore
Display	
Display	13.3-inch (33.8 cm), IPS, Full HD, Glare or Anti-Glare display, 1920 x 1080 pixel
Display notes	Wide-view bright LED display (for enhanced outdoor viewing). Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor
Aspect ratio	16:9
Digitizer	Capacitive touch panel with Wacom® Active ES pen (4K pressure levels)
Ambient light sensor	Integrated
Ambient Light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	160°/160°

Technical details

Fujitsu recommends Windows.

Graphics

TFT resolution (HDMI)	1920 x 1080 pixel
TFT resolution (VGA)	1920 x 1080 pixel Max. resolution external display up to 1920 x 1080
Graphics brand name	Intel® UHD Graphics 620
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator

Interfaces

Memory card slots	1 (microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 64GB)
SIM card slot	1 (usable only with 4G/LTE) The SIM card format must be Micro-SIM (3FF) to fit in the SIM card slot of your Tablet PC. Contact your service provider to obtain a Micro-SIM (3FF) card.
USB 3.0 total	2 (1 x Type-A and 1 x Type-C)
Micro HDMI	1
DC-in	1
Audio: line-in / line-out	1
Internal microphones	2 (digital)
Docking connector for Port Replicator	1

Wired communications

LAN	via cradle or optional cable accessory Intel® 218LM
-----	---

Multimedia

Audio type	On board
Audio codec	Realtek ALC255
Audio features	Built-in microphone, 2x built-in speakers (stereo)
Camera	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED

Power supply

AC Adapter	19 V / 65 W (3.42 A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
Main battery ³	Lithium Polymer battery 3-cell, 10.8V, 3450 mAh/ 38Wh. Runtime for main battery: 11 hrs and 50 mins
Battery Charging time	~ 140 min

Dimensions / Weight / Environmental

Dimensions (W x D x H)	Tablet only: 12.45 x 7.96 x 0.40 inch (316.3 x 202.2 x 10.2 mm)
	Tablet with keyboard cover: 12.56 x 9.76 x 1.17 inch (319 x 248 x 29.6 mm)
Weight	Tablet only: 1.7 lbs.
	Tablet with keyboard cover: 3.03 lbs.
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	41 - 95° F (5 - 35 °C)
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)

Technical details

Fujitsu recommends Windows.

Additional Software

Additional Software (preinstalled)	Additional software (Depending on your configuration) WorkPlace Protect Power Saving Utility
---	--

Security

User Security	Absolute® BIOS Persistence Module User and supervisor BIOS password Hard disk password Integrated fingerprint sensor (optional) Integrated Smart Card slot (optional) Embedded TPM Integrated; Q7 Series supports Infineon® SLB9670 / Revision: TPM 2.0 / FIPS 140-2: YES ⁵
----------------------	---

Compliance	FCC Part 15B Class B and FCC Part 15C; FCC Part 15E; FCC Part 22/24/27; IC ICES-003 Class B and RSS-210; UL-cUL Listed; CE Marking; CB Generic Report, RF Human exposure Standard; ENERGY STAR® Qualified. Qualifies for treatment as U.S. Trade Agreements Act ("TAA") compliant finished product.
-------------------	---

Model	PQ13A
--------------	-------

Cradle

DC-in	1 (19 V)
--------------	----------

USB 3.0 total	4
----------------------	---

Ethernet (RJ-45)	1 (1000base)
-------------------------	--------------

HDMI	1 (Maximum resolution 1920 x 1080)
-------------	------------------------------------

VGA	1 (Maximum resolution 1920 x 1080)
------------	------------------------------------

Warranty⁴

Standard Warranty	One Year International Limited Warranty, 24/7 technical support; Fujitsu extended service plans available
--------------------------	---

Service Weblink	http://www.fujitsu.com/us/support/
------------------------	---

Recommended Accessories

Folio Cover

Protective TPU Cover w/ handstrap

Shoulder strap and stand

Keyboard Cover

Docking Cradle

Additional Stylus

Additional Stylus Tips

Additional AC Adapter

Notes:

- One gigabyte (GB) = one billion bytes; accessible capacity will be less and actual capacity depends on the operating environment and formatting.
- Wireless service is not included with your notebook/ tablet PC. Activation, credit approval, and 2-year minimum commitment required. Monthly service fee, taxes, surcharges are extra. Actual connectivity is subject to wireless service provider's coverage area and may be affected by equipment, topography, signal strength, environmental considerations, and other factors. Service may vary significantly within buildings. Coverage not available everywhere – see wireless carrier's coverage map for details. Terms and Conditions and additional restrictions apply. A GPS application (compatible with NMEA v 3.1 or later) must be purchased separately.
- Battery life tested using MobileMark 2014 and Windows® 10 operating system, and may include audio muted and power saving utility enabled. Battery life will vary depending on the product configuration, product model, application loaded on the product, power management settings on the product, Operating System, and the product features used by the customer. As with all batteries, the maximum capacity of the installed batteries will decrease with time, usage, and how often the batteries are charged by the user.
- Service and warranty turnaround time may vary by country and product. The International warranty is only valid for products purchased in North, Central, and South America.
- Support starts with the STYLISTIC Q739. Subject to change.

About Fujitsu Americas

Fujitsu America, Inc. is the parent and/or management company of a group of Fujitsu-owned companies operating in North, Central and South America and Caribbean, dedicated to delivering the full range of Fujitsu products, solutions and services in ICT to our customers in the Western Hemisphere. These companies are collectively referred to as Fujitsu Americas. Fujitsu enables clients to meet their business objectives through integrated offerings and solutions, including consulting, systems integration, managed services, outsourcing and cloud services for infrastructure, platforms and applications; data center and field services; and server, storage, software and mobile/tablet technologies. For more information, please visit: www.fujitsu.com/us and <http://twitter.com/fujitsuamerica>.

Fujitsu OPTIMIZATION Services

In addition to FUJITSU STYLISTIC Q738, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More Information

Learn more about FUJITSU STYLISTIC Q738, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.



Copyright

Fujitsu, the Fujitsu logo, STYLISTIC and LIFEBOOK are trademarks or registered trademarks of Fujitsu Limited in the United States and other countries. Bluetooth is a trademark or registered trademark of Bluetooth SIG, Inc. in the United States and other countries. Intel, Intel Core, vPro, and the Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. McAfee is a registered trademark of Network Associates/McAfee.com Inc. Microsoft, Windows and Lync are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries. EPEAT is a trademark or registered trademark of the Green Electronics Council in the United States and other countries. ENERGY STAR is a trademark or registered trademark of the U.S. Government in the United States and other countries. USB Type C is a trademark or registered trademark of USB Implementers Forum in the United States and other countries. Absolute Persistence is a trademark or registered trademark of Absolute Software Corporation in the United States and other countries. BAPCo and MobileMark are trademarks of registered trademarks of Business Applications Performance Corporation, in the United States and other countries. Infineon is a trademark or registered trademark of Infineon Technologies AG in the United States and other countries. Realtek is a trademark or registered trademark of Realtek Semiconductor Corporation in the United States and other countries. All other trademarks mentioned herein are the property of their respective owners.

The statements provided herein are for informational purposes only and may be amended or altered by Fujitsu America, Inc. without notice or liability. Product description data represents Fujitsu design objectives and is provided for comparative purposes; actual results may vary based on a variety of factors. Specifications are subject to change without notice.

Copyright© 2019 Fujitsu America, Inc.
All rights reserved.
FPC65-7882 01/19
17.1219.1113bh

Contact

FUJITSU AMERICA, INC.
Address: 1250 East Arques Avenue Sunnyvale, CA 94085-3470, U.S.A.
Telephone: 800 831 3183 or 408 746 6000
Website: www.fujitsu.com/us
Contact Form: us.fujitsu.com/ContactFujitsu

Have a question? Email us at: AskFujitsu@us.fujitsu.com