

Fujitsu recommends Windows 10 Pro.

Data Sheet

FUJITSU Tablet STYLISTIC® Q739

Tablet Mobility Meets Notebook Productivity

The FUJITSU Tablet STYLISTIC Q739 is a highly durable and secure 2-in-1 detachable that meets the demands of today's mobile professionals. Its 13.3-inch FHD anti-glare display with pen and touch support, and 8th generation Intel® Core® i7 processor technology ensure excellent performance, even when you're on the go.

Tablet mobility and notebook productivity in one device

Allows you to be productive even in unconventional working environments

- Highly durable 2 in 1 detachable with reinforced corners, powered by the latest 8th generation Intel processor
- MIL-STD-810G tested
- Additional backlit keyboard dock with LAN and charging port
- Optional TPU cover with handstrap and kickstand
- Family concept: Uses the same cradle as STYLISTIC Q509

Convenience at work

Enjoy the viewing angle of a large screen even when you are mobile

- 13.3-inch Full HD anti-glare display and pen input, supporting 4K pressure levels
- Pen garage with inductive charging functionality

Lean and agile

More freedom to work from anywhere at anytime

- Weight starting at 1.72 lbs., the device offers you ultimate portability

Long battery life

All-day battery life lets you be productive even when you are on the move

- Up to 10 hours and 40 minutes of battery backup



Components

Base unit	STYLISTIC Q739
Operating systems	
Operating system pre-installed	Windows 10 Pro
Processor	
	Intel® Core® i7-8665U processor (4 Cores / 8 Threads, 1.9 GHz, up to 4.8 GHz)
	Intel® Core® i5-8365U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.1 GHz)
	Intel® Core® i5-8265U processor (4 Cores / 8 Threads, 1.6 GHz, up to 3.9 GHz) *
	*Processor only for retail, SMB, education and government
Hard disk drives (internal)	
	SSD SATA III, 1024 GB, M.2 module, OPAL capable
	SSD SATA III, 512 GB, M.2 module, OPAL capable
	SSD SATA III, 256 GB, M.2 module, OPAL capable
	SSD SATA III, 128 GB, M.2 module
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III (6Gbit/s)
Interface add on cards/components (optional)	
3G/4G (optional)	LTE Sierra Wireless EM7455 (Cat. 6) (Downlink speed up to 300 Mbit/s, Uplink speed up to 50 Mbit/s)
WLAN (optional)	Intel® Dual Band Wireless-AC9560 11ac with integrated Bluetooth® 5.0
Display	13.3-inch, IPS, (Full HD), Anti-glare display, magnesium, 1,920 x 1,080 pixel, 1000:1, 330 cd/m ²
Multimedia	
Camera	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED

Base unit

Base unit	STYLISTIC Q739
General system information	
Chipset	Integrated in CPU
Supported capacity RAM (max.)	16 GB
Memory slots	LPDDR3 (2133 MHz)
LAN notes	LAN connector via optional keyboard dock, cradle or optional USB adapter cable
BIOS version	UEFI Specification 2.5
BIOS features	InsydeH20 Bios
Audio type	On board
Audio codec	Realtek® ALC255
Audio features	Built-in array microphone, 2x built-in speakers (stereo)
MIL-STD tested	Yes MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display	
Display	13.3-inch, IPS, Full HD, 1,920 x 1,080 pixel, 330 cd/m ²
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.

Display

Sensors	Ambient Light Sensor Compass Gyroscope Proximity
Aspect ratio	16:9
Brightness - typical	330 cd/m ²
Digitizer / Touch Technology	Wacom® Digitizer for pen (AES) input plus capacitive 10 finger multi-touch screen
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	160°/160°

Graphics

Base unit	STYLISTIC Q739
TFT resolution (VGA)	1,920 x 1,200 pixel
Graphics brand name	Intel® UHD Graphics 620
Graphics features	HDCP support DirectX® 12 OpenGL® 4.4 3 Display Support (2 external, 1 internal)
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator

Interfaces

DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
USB 2.0 Gen1	1
USB 3.1 Gen1 (USB Type-A)	1
USB 3.1 Gen2	1 (USB Type C®)
USB Type-C total	1
USB Type-A total	2
micro HDMI	1
Ethernet (RJ-45)	1 (via optional keyboard dock, cradle or optional conversion cable)
Memory card slots	1 - SD/microSD card : 2GB - SDHC/microSDHC card : 32GB - SDXC card : 512GB - microSDXC card : 200GB (or 128GB) Speed Class: up to UHS-I
SmartCard slot	optional
SIM card slot	1 (MicroSIM - only for models with integrated 4G/LTE)
Interface Module notes	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)

Cradle (Charging or Functional)

DC-in	1 (19V)
Audio: line-in	1
Audio: line-out	1
USB 3.1 Gen1 (USB 3.0) total	3
DisplayPort	1
VGA	1
Ethernet (RJ-45)	1 (10/100/1000)
Kensington® Lock support	1
Interface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.

Wireless technologies

Antennas	2x dual band for WLAN, 2x for LTE, Bluetooth shared with WLAN
WLAN encryption	WEP, WPA, WPA2

WLAN notes	Import and usage according to country-specific regulations.
Wireless technologies	
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.
GPS	Embedded in 3G/4G module if configured with WWAN
Power supply	
AC adapter	19 V / 65 W (3.42 A)
1st battery	Lithium Polymer battery 3-cell, 38 Wh
Runtime 1st battery	up to 10 hours and 40 minutes
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo MobileMark Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	12.4 x 7.91 x 0.38 ins.
Weight (lbs)	from 1.75 lbs slate only , weight of keyboard docking from 1.25 lbs
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	41 - 95 °F; Packed 5 - 140 °F
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)
Additional Software	
Additional software (preinstalled)	Waves MaxxAudio (audio enhancer) Fujitsu Function Manager Microsoft Office (1 month trial for new Microsoft® Office 365 customers. Buy Microsoft Office.) McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed)
Additional software (optional)	Microsoft Office (buy license to activate the pre-installed Microsoft Office) Recovery DVD for Windows®
Manageability	
Manageability technology	PXE 2.1 Boot code Wake up from S5 (off mode) Intel® vPro™ technology WoL (Wake on LAN) iAMT 11.6 (depending on processor)
Supported standards	WMI (Windows Management Instrumentation) PXE (Preboot Execution Environment) DMI (Desktop Management Interface) SMBIOS (System Management BIOS) CIM (Common Information Model)
Manageability link	http://www.fujitsu.com/fts/manageability
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Absolute Persistence® technology capable BIOS Trusted Platform Module (TPM 2.0)
User Security	Embedded fingerprint sensor (optional) Smartcard reader (optional) Hard disk password User and supervisor BIOS password SystemLock BIOS SmartCard security Workplace Protect (secure authentication solution) Fujitsu AuthConductor (biometric authentication solution)
Warranty	
Warranty Terms & Conditions	https://www.shopfujitsu.com/store/Service.jsp

More information

About Fujitsu Americas

Fujitsu America, Inc. is the parent and/or management company of a group of Fujitsu-owned companies operating in North, Central and South America and Caribbean, dedicated to delivering the full range of Fujitsu products, solutions and services in ICT to our customers in the Western Hemisphere. These companies are collectively referred to as Fujitsu Americas. Fujitsu enables clients to meet their business objectives through integrated offerings and solutions, including consulting, systems integration, managed services, outsourcing and cloud services for infrastructure, platforms and applications; data center and field services; and server, storage, software and mobile/tablet technologies. For more information, please visit: www.fujitsu.com/us and <http://twitter.com/fujitsuamerica>.

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Tablet STYLISTIC Q739, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Tablet STYLISTIC Q739, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/us

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Disclaimer

The statements provided herein are for informational purposes only and may be amended or altered by Fujitsu America, Inc. without notice or liability. Product description data represents Fujitsu design objectives and is provided for comparative purposes; actual results may vary based on a variety of factors. Specifications are subject to change without notice.

Copyrights

Fujitsu, the Fujitsu logo, STYLISTIC, PalmSecure and "shaping tomorrow with you" are trademarks or registered trademarks of Fujitsu Limited in the United States and other countries. Intel, vPro and Intel Core are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States or other countries. Microsoft, DirectX and Windows are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries. OpenGL is a trademark or registered trademark of Hewlett Packard Enterprise in the United States and other countries. Bluetooth is a trademark or registered trademark of Bluetooth SIG, Inc. in the United States and other countries. USB Type-C is a trademark or registered trademark of USB Implementers Forum in the United States and other countries. Realtek is a trademark or registered trademark of Realtek Semiconductor Corporation in the United States and other countries. Kensington is a trademark or registered trademark of Kensington Technology Group in the United States and other countries. Wacom is a trademark or registered trademark of Wacom in the United States and other countries. Absolute Persistence is a trademark or registered trademark of Absolute Software Corporation in the United States and other countries. McAfee and LifeSafe are trademarks or registered trademarks of Network Associates/McAfee.com Inc. in the United States and other countries. ENERGY STAR and the ENERGY STAR logo are trademarks or registered trademarks of the U.S. Environmental Protection Agency in the United States and other countries. BAPCo and MobileMark are trademarks of registered trademarks of Business Applications Performance Corporation, in the United States and other countries. All other trademarks referenced herein are the property of their respective owners.

Copyright© 2019 Fujitsu America, Inc.
All rights reserved.
FPC65-7989-02 06/19
19.1023.0805

CONTACT

FUJITSU AMERICA, INC.
Address: 1250 East Arques Avenue Sunnyvale, CA 94085-3470, U.S.A.
Telephone: 800 831 3183 or 408 746 6000
Website: www.fujitsu.com/us
Contact Form: us.fujitsu.com/ContactFujitsu
Have a question? Email us at: AskFujitsu@us.fujitsu.com