

Data Sheet

Fujitsu STYLISTIC Q737

Advanced Hybrid Tablet PC

Tablet Mobility Meets Notebook Productivity

Fujitsu recommends Windows.

The FUJITSU STYLISTIC® Q737 helps you to get the job done, regardless of location and weather conditions. Its 33.8 cm (13.3-inch) Full HD display with pen and touch input and 7th gen Intel® Core® i7 processor with vPro® technology ensure excellent performance. A semi-ruggedized design and optional 4G/LTE and NFC help you achieve your tasks, regardless of the location and weather conditions.

Enterprise-class security features, two different dockable keyboards and an optional cradle mean that you can work in comfort and security.

Slim and semi-rugged design

Protect your tablet from environmental conditions. Work anywhere despite exposing the tablet to rain, humidity or dust with minimal component damage.

Enterprise ready

Windows® 10 Professional operating system for multitasking, security and compatibility Seamless deployment in commercial environments. Easily connect with and use established Windows-based applications.

Content creation and collaboration

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and multiple-touch display.

- Data entry via pen-based handwriting recognition or onscreen keyboard with predictive text on a 33.8 cm (13.3-inch)
- Full HD display, dual performance mode for extended runtime, full USB 3.0 port and optional extension cables via micro USB

User experience and connectivity

Be available practically anywhere; wireless connectivity even if there is no hotspot nearby..

- Front/rear webcams, integrated Wi-Fi, Bluetooth® and optional embedded 4G/LTE, WLAN, GPS, optional
- Near Field Communication (NFC), 2 convenient dockable keyboard options and cradle option

Manageability and security

Easy administration and protection against unauthorized third-party access.

- Latest 7th gen. Intel® Core® i7 processor with Intel vPro® technology, fingerprint sensor and embedded TPM
- Optional Mounting, Smart Card, Palm Vein or Magnetic Stripe Shell



Technical details

Fujitsu recommends Windows.

Processor	Intel® 7th gen Core® i7-7600U / 8GB or 16GB / vPro® Intel® 7th gen Core® i5-7300U / 8GB or 16GB / vPro® Intel® 7th gen Core® i5-7200U / 8GB / non vPro®
Operating systems	
Operating system	Windows® 10 Pro 64-bit Windows® 10 64-bit
Base unit memory	
Supported capacity RAM	Core i5@ 8GB, Core i5/i7@8GB or 16GB
Supported capacity RAM (max.)	
Memory slot type	LPDDR3 (1600 MHz)
Hard disk drives (internal)¹	SSD mSATA, 512 GB, Optional Opal TCG SSD mSATA, 256 GB, Optional Opal TCG SSD mSATA, 128 GB, Optional Opal TCG
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)
WLAN (optional)	Intel® Dual Band Wireless-AC 8260 (11ac/abgn) 8260 WLAN
Wireless² technologies	
Antennas	2x dual band for WLAN, 2x for UMTS/LTE, Bluetooth shared with WLAN
Bluetooth	Bluetooth® 4.0
WLAN notes	Import and usage according to country-specific regulations.
UMTS/GPS notes	UMTS/GPS notes
NFC	optional
Bluetooth	Bluetooth 4.0 LE integrated on WLAN module
3G/4G	Integrated 4G Sierra Wireless AirPrime™ EM7355 with GPS support (available post launch) ² Uses (3FF) Micro-SIM card. Slot is located on the left side of the tablet. Contact your service provider to obtain a (3FF) Micro-SIM card.
GPS	Integrated GPS module ³
General system information	
Chipset	Integrated
Chipset notes	Supports iAMT 10.0, Intel® vPro® requires Core® i5-73xx & i7-76xx CPU, Intel WLAN 8260 ac/a/b/g/n, TPM module
BIOS features	BIOS Flash EPROM BIOS based on Phoenix SecureCore
Display	
Display	33.8 cm (13.3-inch), IPS dual digitizer, Full HD, Glossy display, 1920 x 1080 pixel
Display notes	Wide-view bright LED display (for enhanced outdoor viewing). Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor
Aspect ratio	16:9
Brightness – typical	300 cd/m ²
Digitizer	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
Ambient light sensor	Integrated
Ambient Light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	160°/160°

Technical details

Fujitsu recommends Windows.

Graphics

TFT resolution (HDMI)	1920 x 1080 pixel
TFT resolution (VGA)	1920 x 1080 pixel Max. resolution external display up to 1920 x 1080
Graphics brand name	Intel® HD Graphics 620
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator

Interfaces

Memory card slots	1 (microSD up to 2GB, microSDHC up to 32GB, microSDXC up to 64GB)
SIM card slot	1 (usable only with 4G/LTE) The SIM card format must be Micro-SIM (3FF) to fit in the SIM card slot of your Tablet PC. Contact your service provider to obtain a Micro-SIM (3FF) card.
USB 3.0 total	1
Micro HDMI	1
USB 2.0 total	1
DC-in	1
Audio: line-in / line-out	1
Internal microphones	2 (digital)
Docking connector for Port Replicator	1

Wired communications

LAN	via cradle or optional cable accessory Intel® 218LM
-----	---

Multimedia

Audio type	On board
Audio codec	Realtek ALC283
Audio features	Built-in microphone, 2x built-in speakers (stereo)
Camera	Front camera 2 megapixel, rear camera 5 megapixel with autofocus and photo LED

Power supply

AC Adapter	19 V / 65 W (3.42 A)
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery*	Lithium Polymer battery 3-cell, 10.8V, 4250 mAh/ 46Wh. Runtime for 1st battery is up to 12 hrs and 20 mins
2nd battery	Lithium Polymer battery 3-cell, 10.8V, 4170mAh/ 45Wh. Runtime with 1st and 2nd batteries (in Power Key board Docking station): up to 17 hrs and 40 mins
Battery Charging time	~ 140 min

Dimensions / Weight / Environmental

Dimensions (W x D x H)	Standard Shell tablet only: 12.56 x 8.19 x 0.5 inches (319 x 208 x 12.7mm) Standard Shell tablet with keyboard docking station: 12.56 x 9.76 x 1.17 inches (319 x 248 x 29.7mm) Standard Shell tablet with keyboard docking station w/ battery: 12.56 x 9.76 x 1.33 inches (319 x 248 x 33.8mm)
Weight	Standard Shell tablet only: 2.15 lbs Standard Shell tablet with keyboard docking station: 4.13 lbs Standard Shell tablet with keyboard docking station w/ battery: 4.56 lbs
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	41 – 95° F (5 - 35 °C)
Operating relative humidity	Running: 20 - 85%; Packed 8 - 85% (relative humidity, non-condensing)

Additional Software

Additional Software (preinstalled)	Additional software (Depending on your configuration) Function Manager, WorkPlace Protect, Power Saving Utility
------------------------------------	---

Technical details

Fujitsu recommends Windows.

Security	
User Security	Absolute® BIOS Persistence Module User and supervisor BIOS password Hard disk password Integrated fingerprint sensor (optional) - mutually exclusive with Palm Vein Integrated Smart Card slot (optional) Embedded TPM Integrated Palm Vein sensor (optional) - mutually exclusive with fingerprint
Compliance	FCC Part 15B Class B and FCC Part 15C; FCC Part 15E; FCC Part 22/24/27; IC ICES-003 Class B and RSS-210; UL-cUL Listed; CE Marking; CB Generic Report, RF Human exposure Standard Qualifies for treatment as U.S. Trade Agreements Act ("TAA") compliant finished product.
Cradle	
DC-in	1 (19V)
USB 3.0 total	4
Ethernet (RJ-45)	1 (1000base)
HDMI	1 (Maximum resolution 1920 x 1080)
VGA	1 (Maximum resolution 1920 x 1080)
Warranty⁵	
Standard Warranty	One Year International Limited Warranty, 24/7 technical support; Fujitsu extended service plans available
Service Weblink	http://www.fujitsu.com/us/support/
Recommended Accessories	Folio Cover Folio Cover (for Palm Vein model) Protective TPU Cover Keyboard Docking Station Power Keyboard Docking Station Performance Docking Cradle Hand Strap Additional Stylus Additional AC Adapter

Notes:

- 1) One gigabyte (GB) = one billion bytes; accessible capacity will be less and actual capacity depends on the operating environment and formatting.
- 2) Wireless service is not included with your notebook/ tablet PC. Activation, credit approval, and 2-year minimum commitment required. Monthly service fee, taxes, surcharges are extra. Actual connectivity is subject to wireless service provider's coverage area and may be affected by equipment, topography, signal strength, environmental considerations, and other factors. Service may vary significantly within buildings. Coverage not available everywhere – see wireless carrier's coverage map for details. Terms and Conditions and additional restrictions apply. A GPS application (compatible with NMEA v 3.1 or later) must be purchased separately.
- 3) A GPS application that supports Windows Sensor and Location APIs must be purchased separately.
- 4) Battery life tested using MobileMark 2014 and Windows® 10 operating system, and may include audio muted and power saving utility enabled. Battery life will vary depending on the product configuration, product model, application loaded on the product, power management settings on the product, Operating System, and the product features used by the customer. As with all batteries, the maximum capacity of the installed batteries will decrease with time, usage, and how often the batteries are charged by the user.
- 5) Service and warranty turnaround time may vary by country and product. The International warranty is only valid for products purchased in North, Central, and South America.

About Fujitsu Americas

Fujitsu recommends Windows.

Fujitsu America, Inc. is the parent and/or management company of a group of Fujitsu-owned companies operating in North, Central and South America and Caribbean, dedicated to delivering the full range of Fujitsu products, solutions and services in ICT to our customers in the Western Hemisphere. These companies are collectively referred to as Fujitsu Americas. Fujitsu enables clients to meet their business objectives through integrated offerings and solutions, including consulting, systems integration, managed services, outsourcing and cloud services for infrastructure, platforms and applications; data center and field services; and server, storage, software and mobile/tablet technologies. For more information, please visit: www.fujitsu.com/us and <http://twitter.com/fujitsuamerica>

Fujitsu OPTIMIZATION Services

In addition to Fujitsu STYLISTIC Q737, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

To learn more about Fujitsu STYLISTIC Q737, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://solutions.us.fujitsu.com/>

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at:
www.fujitsu.com/global/about/environment/

Copyright

Fujitsu, and the Fujitsu logo, are registered trademarks of Fujitsu Limited. Microsoft, Windows, and Lync are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Intel, Intel Core, vPro and the Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. AirPrime is a trademark or registered trademark of Sierra Wireless in the United States and other countries. Bluetooth and the Bluetooth logo are registered trademarks of Bluetooth SIG, Inc. All other trademarks mentioned herein are the property of their respective owners. Product description data represents Fujitsu design objectives and is provided for comparative purposes; actual results may vary based on a variety of factors. Specifications are subject to change without notice.

Copyright ©2018 Fujitsu America, Inc.
All rights reserved.
FPC65-7679-04 10/18
18.0504.0409bh



Contact

FUJITSU AMERICA, INC.
Address: 1250 East Arques Avenue Sunnyvale, CA 94085-3470, U.S.A.
Telephone: 800 831 3183 or 408 746 6000
Website: <http://solutions.us.fujitsu.com>
Contact Form: <http://solutions.us.fujitsu.com/contact>

Have a question? Email us at: AskFujitsu@us.fujitsu.com