



Data Sheet

FUJITSU Tablet LIFEBOOK T937

Top Performer with a Twist

Fujitsu recommends Windows.

The FUJITSU Tablet LIFEBOOK® T937 is a versatile 2 in 1 Ultrabook™ for demanding professionals with new dynamic work styles. Its ultra-thin, durable magnesium housing and super lightweight design enable you to travel in comfort. With a simple flip of the super crisp, rotatable 33.8 cm (13.3-inch) FHD display with pen and touch support you can switch to tablet mode. The new backlit keyboard layout, enterprise-grade security features, pull-out LAN connector and embedded 4G/ LTE let you work securely wherever you are. With the optional USB Type-C Dock, maximum convenience in the office is ensured.

Tablet and Ultrabook™ in one

Give your work a personal touch and enjoy the benefits of precise handwriting recognition and

- Bi-directional rotatable 33.8 cm (13.3-inch) capacitive touch display with Wacom® Active ES pen allows audit-proof pen and touch input, or with the keyboard

Ultimate mobility

Be available anytime anywhere with wireless connectivity and additional features that ease your life

- Optional 4G/LTE (incl. GPS), WLAN, Bluetooth®, user-exchangeable battery, durable SSD options

Highest security

Protect your company data against unauthorized third-party access

- SmartCard reader, Palm Vein sensor, fingerprint sensor, OPAL encrypted drives and Trusted Platform Module (TPM)

Ergonomic working

Maximize your productivity with ultimate convenience and comfort features for business users

- Full HD (1920 x 1080) or HD (1366 x 768) display options, backlit keyboard and a bridge battery for hot swapping



Components

Fujitsu recommends Windows.

Base unit	LIFEBOOK T937	
Operating systems		
Operating system	Windows® 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home	
Microsoft OS support information	This system receives full support from Microsoft® with Windows 10/Windows 10 Pro only. For any other Microsoft OS installed, this device has limited support from Microsoft. For more information, please see Microsoft's Support Lifecycle FAQ.	
Processor	Intel® HD Graphics 620 models: Intel® Core® i5-7200U Processor (3 MB Cache, up to 3.1 GHz) Intel® Core® i5-7300U vPro® Processor (3 MB Cache, up to 3.5 GHz)	Intel® Iris™ Plus Graphics models: Intel® Core® i5-7360U vPro® Processor (4 MB Cache, up to 3.6 GHz) Intel® Core® i7-7560U Processor (4 MB Cache, up to 3.8 GHz) Intel® Core® i7-7660U vPro® Processor (4 MB Cache, up to 4 GHz)
	*Processor only for retail, SMB, education and government Intel® Core® vPro® Processor - Best Platform for Businesses of all sizes Intel® Core® Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Small Business	
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,133 MHz, SO DIMM 8 GB (1 module(s) 8 GB) DDR4, 2,133 MHz, SO DIMM 16 GB (1 module(s) 16 GB) DDR4, 2,133 MHz, SO DIMM	On Intel® Plus Graphics models: 8 GB (Fixed 4 GB +1 module[s] 4 GB) DDR4, 2,133 MHz, SO DIMM 16 GB (Fixed 4 GB =1 module[s] 8 GB) DDR4,2,133 MHz, SO DIMM 20 GB (Fixed 4 GB +1 module[s] 16 GB) DDR4, 2,133 MHz, SO DIMM
Hard disk drives (internal)	SSD SATA III, 512 GB, optional OPAL capable SSD SATA III, 256 GB, OPAL capable SSD SATA III, 128 GB, optional OPAL capable PCIe-SSD, 512 GB, OPAL capable PCIe-SSD, 256 GB, OPAL capable	
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: M.2 SATA	
Interface add on cards/ components (optional)		
3G/4G (optional)		
WLAN (optional)		
Display	33.8 cm (13.3-inch), LED backlight Bright Full HD (1920 x 1080) - 330 cd/m ² Bright HD (1366 x 768) - 200 cd/m ²	
Multimedia		
Camera	Built-in webcam (HD) with Status LED	

Base Unit

Fujitsu recommends Windows.

Base Unit	LIFEBOOK T937
General system information	
Chipset	Integrated in CPU
Supported capacity RAM (max.)	16 GB / 20GB (Intel® Iris™ Plus Graphics models)
Memory slots	Intel® Iris™ Plus Graphics models: Fixed 4 GB + 1 DIMM (DD4) / Intel® HD Graphics 620 models: 1 DIMM (DDR4)
Memory notes	DDR4 - 2133 MHz
LAN	Built-in 10/100/1,000 MBit/s Intel® I219V
BIOS features	InsydeH20 Bios
Audio type	On board
Audio codec	Realtek® ALC255
Audio features	2x digital array microphones, 2x built-in speakers (stereo)
Display	33.8 cm (13.3-inch), Bright Full HD (1920 x 1080) or HD (1366 x 768) 700:1,FHD - 330 cd/m ² , HD - 200 cd/m ²
Display notes	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
Sensors	3-axis Accelerometer Gyroscope Ambient Light Sensor Magnetic Field Sensor Compass
Aspect ratio	16:9
Brightness - typical	FHD - 330 cd/m ² , HD - 220 cd/m ²
Contrast - typical	700:1
Digitizer / Touch Technology	Capacitive touch panel with Wacom® Active ES pen (2048 pressure levels)
Ambient light sensor	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight
Graphics	
Base unit	LIFEBOOK T937
TFT resolution (HDMI)	up to 1,920 x 1,200
TFT resolution (VGA)	up to 1,920 x 1,200
Graphics brand name	Intel® HD Graphics 620 or Intel® Iris™ Plus Graphics 640
Graphics features	3 Display Support (2 external, 1 internal)
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	
DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2 (digital)
USB 3.1 total	2 (incl. 1x Anytime USB Charge functionality, left side) Gen 1
USB 3.1 (Gen 1) Type-C	1
VGA	1
HDMI	1
Ethernet (RJ-45)	1

Base Unit

Fujitsu recommends Windows.

Memory card slots	1 SD up to 2GB, SDHC up to 32GB, SDXC up to 128GB
SmartCard slot	1 (optional)
SIM card slot	1 (only for models with integrated 4G/LTE)
Keyboard and pointing devices	Backlit isolation keyboard Number of keyboard keys: 85, Keyboard pitch: 19 mm, Keyboard stroke: 1.2 mm Multi gesture touchpad with integrated mouse button functionality Tablet Pen, stored in pen garage Touch-screen
Input devices (optional)	Keyboard with multi gesture touchpad and 2 mouse buttons
Wireless technologies	
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.
Integrated LTE or UMTS	LTE Sierra Wireless EM7455 (Cat. 6) (optional)
LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.
GPS	Embedded in 3G/4G module if configured with WWAN
Power supply	
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter
AC Adapter	19 V / 65 W (3.42 A)
Notes	65W AC Adapter for usage with system/ min. 90W AC Adapter for usage with Port Replicator
Rated voltage range	100 V - 240 V (AC Input)
Rated frequency range	50 Hz - 60 Hz
1st battery options	Lithium polymer battery 4-cell, 50 Wh
Bridge battery	Lithium Polymer, 1 cell, 13 Whr, For hot swap battery operation (Hot swap functionality requires bridge battery charge of 30% or more)
Runtime 1st battery	up to 11h 20 min
Battery charging time	~ 120 min
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.
Dimensions / Weight / Environmental	
Dimensions (W x D x H)	317 x 224 x 19.8 mm back (w/o rubber feet) mm 12.51 x 9.25 x 0.76 back inch
Weight	from 1.3 kg
Weight (lbs)	Starting at 3.04 lbs
Weight notes	Weight may vary depending on actual configuration (including battery pack)
Operating ambient temperature	5 - 35 °C (41 - 95 °F)
Operating relative humidity	Running: 20 - 80% (relative humidity); Packed: 20 - 80% (relative humidity)

Base Unit

Fujitsu recommends Windows.

Product	
Compliance	FCC Part 15 Class B VCCI, and FCC Part 15E; IC ICES-003 Class B and RSS- 210; FCC and IC RF Exposure limits; UL-cUL Listed; FCC and IC RF human exposure limits Qualifies for treatment as U.S. Trade Agreements Act ("TAA") compliant finished product. EPEAT® Gold and ENERGY Star® Qualified (depending on your configuration).
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Absolute Persistence® technology capable BIOS Optional: Trusted Platform Module (TPM 2.0)
User Security	Hard disk password User and supervisor BIOS password Embedded fingerprint sensor (optional) Workplace Protect (secure authentication solution) Smartcard reader (integrated) Integrated palm vein sensor (optional)
Warranty	One or three year International Limited Warranty on select corporate configurations; 24/7 support

About Fujitsu Americas

Fujitsu America, Inc. is the parent and/or management company of a group of Fujitsu-owned companies operating in North, Central and South America and Caribbean, dedicated to delivering the full range of Fujitsu products, solutions and services in ICT to our customers in the Western Hemisphere. These companies are collectively referred to as Fujitsu Americas. Fujitsu enables clients to meet their business objectives through integrated offerings and solutions, including consulting, systems integration, managed services, outsourcing and cloud services for infrastructure, platforms and applications; data center and field services; and server, storage, software and mobile/tablet technologies. For more information, please visit: <http://solutions.us.fujitsu.com/> and <http://twitter.com/fujitsuamerica>

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Tablet LIFEBOOK T937, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More Information

Learn more about FUJITSU LIFEBOOK T937, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
<http://solutions.us.fujitsu.com/>

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment. Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT. Please find further information at:
www.fujitsu.com/global/about/environment/



Copyright

Fujitsu, STYLISTIC and the Fujitsu logo, are registered trademarks of Fujitsu Limited. Microsoft, and Windows, are trademarks or registered trademarks of Microsoft Corporation in the United States and/or other countries. Intel, Intel Core, vPro, Ultrabook and the Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing, LLC in the United States and other countries. BAPCo and MobileMark are trademarks of registered trademarks of Business Applications Performance Corporation, in the United States and other countries. Adobe and Adobe Reader are trademarks or registered trademarks of Adobe Systems, Inc. in the United States and other countries. Blu-ray Disc is a trademark or registered trademark of the Blu-ray Disc Association in the United States and other countries. Realtek is a trademark or registered trademark of Realtek Semiconductor Corporation in the United States and other countries. Wacom is a trademark or registered trademark of Wacom, in the United States and other countries. Bluetooth and the Bluetooth logo are registered trademarks of Bluetooth SIG, Inc. CyberLink and CyberLink YouCam are trademarks or registered trademarks of CyberLink corporation in the United States and other countries. Absolute Persistence is a trademark or registered trademark of Absolute Software Corporation in the United States and other countries. EPEAT is a trademark or registered trademark of the Green Electronics Council in the United States and other countries. ENERGY STAR is a registered trademark of the U.S. Government. All other trademarks mentioned herein are the property of their respective owners.

Product description data represents Fujitsu design objectives and is provided for comparative purposes; actual results may vary based on a variety of factors. Specifications are subject to change without notice.

Copyright© 2018 Fujitsu America, Inc.
All rights reserved.
FPC65-7681-03 05/18 | 18.0504.0411bh

Contact

FUJITSU AMERICA, INC.
Address: 1250 East Arques Avenue Sunnyvale, CA 94085-3470, U.S.A.
Telephone: 800 831 3183 or 408 746 6000
Website: www.fujitsu.com/us
Contact Form: us.fujitsu.com/ContactFujitsu

Have a question? Email us at: AskFujitsu@us.fujitsu.com