

Data Sheet

FUJITSU Notebook LIFEBOOK® U759

Ultra-Mobile Meets Ultra Secure

The new LIFEBOOK U759 is a slim and light ultra-mobile notebook based on the 8th generation Intel® Core® processor for business professionals seeking ergonomics in the office. The 15.6-inch screen, light weight of 3.79 lbs., Intel® Thunderbolt™ ports, and 12 hours battery runtime enables it to provide excellent mobility and portability. Ergonomic viewing, outstanding security with the integrated PalmSecure® or finger print sensor, and a smart design makes it the notebook of choice in today's modern workstyle.

Elegant design and mobility

Manage your workday with premium notebooks providing ultimate convenience to maximize your productivity

- A remarkably slim 9.75 inch ultra-mobile notebook starting from 3.79 lbs., HD or FHD display, anti-glare, FHD touch panel option, aluminum/magnesium housing, optional backlit keyboard and number pad

Excellent security for your business

Enhance your security with outstanding features to best protect your notebook and company data from unauthorized access

- Integrated PalmSecure or finger print sensor, trusted Platform Module 2.0, integrated SmartCard reader

Premium connectivity

Stay flexible and productive within a modern workplace environment

- Compact and versatile Intel® Thunderbolt™ 3 USB Type-C® connector to charge your laptop, transfer files at fast speeds, connect external monitors and other peripherals
- Full set of interfaces with full-size LAN connector and full-size VGA port
- Embedded WLAN and Bluetooth®

Convenient upgradeability

Direct access to key components reduces upgrade time and costs

- Battery, memory and internal storage can be changed easily

Family concept

Reduce your acquisition cost as well as the complexity of your IT equipment

- Shared components such as the same port replicator optional with USB Type C, AC Adapter, keyboard layout, BIOS and bit image across the ultra-mobile LIFEBOOK U family



Components

Base unit	LIFEBOOK U759
Operating systems	
Operating system pre-installed	Windows® 10 Pro. Fujitsu recommends Windows 10 Pro. Windows 10 Home
Processor	Intel® Core® i7-8665U processor (4 Cores / 8 Threads, 1.9 GHz, up to 4.8 GHz) Intel® Core® i7-8565U processor (4 Cores / 8 Threads, 1.8 GHz, up to 4.6 GHz) * Intel® Core® i5-8365U processor (4 Cores / 8 Threads, 1.6 GHz, up to 4.1 GHz) Intel® Core® i5-8265U processor (4 Cores / 8 Threads, 1.6 GHz, up to 3.9 GHz) * Intel® Core® i3-8145U processor (2 Cores / 4 Threads, 2.1 GHz, up to 3.9 GHz) * *Processor only for retail, SMB, education and government
Memory modules	4 GB (1 module(s) 4 GB) DDR4, 2,400 MHz, SO DIMM 8 GB (1 module(s) 8 GB) DDR4, 2,400 MHz, SO DIMM 16 GB (1 module(s) 16 GB) DDR4, 2,400 MHz, SO DIMM
Hard disk drives (internal)	SSD SATA III, 1024 GB M.2 module, SED SSD SATA III, 512 GB M.2 module, SED SSD SATA III, 256 GB M.2 module, SED SSD SATA III, 256 GB M.2 module PCIe-SSD, 1024 GB M.2 NVMe module, SED PCIe-SSD, 512 GB M.2 NVMe module, SED PCIe-SSD, 256 GB M.2 NVMe module, SED
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III or PCIe If configured with an HDD, the drive has an integrated shock sensor.
Interface add on cards/components (optional)	
WLAN (optional)	Intel® Dual Band Wireless-AC9560 11ac with integrated Bluetooth 5.0
Display	15.6-inch, LED backlight, (HD), Anti-glare display, magnesium, 1,366 x 768 pixel, 350:1, 220 cd/m ² 15.6-inch, LED backlight, (Full HD), Anti-glare IPS touchscreen, magnesium, 1,920 x 1,080 pixel, 700:1, 260 cd/m ² 15.6-inch, LED backlight, (Full HD), Anti-glare IPS display, magnesium, 1,920 x 1,080 pixel, 700:1, 300 cd/m ²
Multimedia	
Camera	Optional: Built-in webcam, HD (Microsoft® Lync™)
Camera notes	720p, 1 megapixels, 1280 x 720
Microphone	dual digital array microphone

Base unit

Base unit	LIFEBOOK U759
General system information	
Chipset	Integrated
Supported capacity RAM (max.)	32 GB
Memory slots	2 SO DIMM (DDR4, 2400 MHz)
LAN	10/100/1,000 MBit/s Intel® I219LM
BIOS version	UEFI Specification 2.5
BIOS features	InsydeH20 Bios
Audio type	On board
Audio codec	Realtek® ALC255 with MaxxAudio
Audio features	Stereo speakers
MIL-STD tested	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display	
Display notes	ISO 9241-307 - Pixel class II HD - Viewing angle: Left/Right 45°, Top 20°, Bottom 40°; Color Gamut: 45% FHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gamut: 72% UHD - Viewing angle: Left/Right 85°, Top 85°, Bottom 85°; Color Gamut: 72%
Graphics	
Base unit	LIFEBOOK U759
TFT resolution (DisplayPort)	up to 4,096 × 2,160
TFT resolution (HDMI)	up to 1,920 × 1,200
TFT resolution (VGA)	up to 1,920 × 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 × 1,200
Graphics brand name	Intel® UHD Graphics 620
Graphics features	3 Display Support
Graphics notes	Shared memory depending on main memory size and operating system
Interfaces	
DC-in	1
Audio: line-out / headphone	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)
Internal microphones	2x digital array microphones (optional)
USB 3.1 Gen1 (USB 3.0) total	2x Type-A (1 with Anytime USB charge functionality) 1x Type-C (with Power Delivery functionality)
USB 3.1 Gen2 total	1 x Intel® Thunderbolt™ (backward compatible)
USB Type-C	1 USB 3.1 Gen2 (10 Gbps), Intel® Thunderbolt™ 3 (20/40Gbps), Power Delivery (15W), DP 1.4
VGA	1
DisplayPort	1 (mutually exclusive with HDMI)
HDMI®	1 (mutually exclusive with DP)
Ethernet (RJ-45)	1 (with status LED)
Memory card slots	1 - SD/microSD card : 2GB - SDHC/microSDHC card : 32GB - SDXC card : 512GB - microSDXC card : 200GB (or 128GB) Speed Class: up to UHS-I
SmartCard slot	1 (optional)
Port Replicator interfaces (optional)	
	Model: NPR46
DC-in	1 (19V)
Power on switch	1

Port Replicator interfaces (optional)

Audio: headphone	1
Audio: microphone	1
USB 3.1 Gen1 (USB 3.0) total	4x Type-A 2x Type-C
DisplayPort	2
VGA	1
DVI	1
Ethernet (RJ-45)	1 (10/100/1000)
Kensington® Lock support	1 (Portrep only, Portrep option with key lock to secure Portrep & System)

Keyboard and pointing devices

	Keyboard w/o touchstick (spill-resistant); Keyboard w/ touchstick; Backlight keyboard w/o touchstick (spill-resistant)
	Number of keyboard keys: 106, Keyboard pitch: 19 mm, Keyboard stroke: 1.7 mm
	Multi gesture touchpad with two mouse buttons
	Status LED
	Power Button

Wireless technologies

Antennas	2 Dual band WLAN antennas
Bluetooth	v5.0
WLAN encryption	WEP, WPA, WPA2
WLAN notes	Import and usage according to country-specific regulations.

Power supply

AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter 19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) 0-Watt AC Adapter technology 19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter
Notes	65W/80W AC Adapter for usage with system/ 90W AC Adapter for usage with Port Replicator
1st battery options	Lithium polymer battery 4-cell, 50 Wh
1st battery	Lithium polymer battery 4-cell
Battery features	Quick Charge: 80% in 1 h
Runtime 1st battery	Up to 12 hrs.
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo MobileMark Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.

Noise emission

Noise emission	Please refer to the Eco Declaration
----------------	-------------------------------------

Dimensions / Weight / Environmental

Dimensions (W x D x H)	14.88 x 10.08 x 0.76 (non-touch and touch) inch
Weight (lbs)	From 3.83 (non-touch), 4.30 (touch) lbs
Weight notes	Weight may vary depending on actual configuration
Operating ambient temperature	41 - 95 °F
Operating relative humidity	20 - 80 %

Compliance with standards

North America	FCC Part 15B Class B and FCC Part 15C; FCC Part 15E; FCC Part 22/24/27; IC ICES-003 Class B and RSS-210; UL-cUL Listed; RF Human exposure Standard; ENERGY STAR® Qualified; MIL-STD-810G. Qualifies for treatment as U.S. Trade Agreements Act ("TAA") compliant finished product. Global RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) ENERGY STAR® 7.1
---------------	--

Additional Software

Additional software (preinstalled) McAfee® LiveSafe™ (provides award-winning antivirus protection for your PC and much more. 30 days trial pre-installed)
Waves MaxxAudio (audio enhancer)
Fujitsu Battery Utility
Fujitsu Function Manager

Additional software (optional) Microsoft Office (buy license to activate the pre-installed Microsoft Office)
Recovery DVD for Windows

Manageability

Manageability technology PXE 2.1 Boot code
Wake up from S5 (off mode)
WoL (Wake on LAN)
Intel® vPro® technology
iAMT 11.6 (depending on processor)

Supported standards WMI (Windows Management Instrumentation)
PXE (Preboot Execution Environment)
DMI (Desktop Management Interface)
SMBIOS (System Management BIOS)
CIM (Common Information Model)

Manageability link <http://www.fujitsu.com/fts/manageability>

Security

System and BIOS Security Absolute Persistence® technology capable BIOS
Optional: Trusted Platform Module (TPM 2.0)
EraseDisk (optional)
Credential Guard Ready and Device Guard Capable (Windows 10, v. 1703)

User Security Embedded PalmSecure sensor (optional)
Embedded fingerprint sensor (optional)
Access protection via internal SmartCard reader (optional)
Hard disk password
User and supervisor BIOS password
Workplace Protect (secure authentication solution)
Fujitsu AuthConductor (biometric authentication solution)

Warranty period

Warranty Terms & Conditions http://solutions.us.fujitsu.com/www/content/support/mobile/warranty/warranty_terms.php

Service Weblink <https://www.shopfujitsu.com/store/Service.jsp>

More information

About Fujitsu Americas

Fujitsu America, Inc. is the parent and/or management company of a group of Fujitsu-owned companies operating in North, Central and South America and Caribbean, dedicated to delivering the full range of Fujitsu products, solutions and services in ICT to our customers in the Western Hemisphere. These companies are collectively referred to as Fujitsu Americas. Fujitsu enables clients to meet their business objectives through integrated offerings and solutions, including consulting, systems integration, managed services, outsourcing and cloud services for infrastructure, platforms and applications; data center and field services; and server, storage, software and mobile/tablet technologies. For more information, please visit: www.fujitsu.com/us and <http://twitter.com/fujitsuamerica>.

Fujitsu OPTIMIZATION Services

In addition to FUJITSU Notebook LIFEBOOK U759, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Notebook LIFEBOOK U759, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. <https://www.fujitsu.com/us/>

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



Disclaimer

The statements provided herein are for informational purposes only and may be amended or altered by Fujitsu America, Inc. without notice or liability. Product description data represents Fujitsu design objectives and is provided for comparative purposes; actual results may vary based on a variety of factors. Specifications are subject to change without notice.

Copyrights

Fujitsu, the Fujitsu logo, LIFEBOOK, PalmSecure and "shaping tomorrow with you" are trademarks or registered trademarks of Fujitsu Limited in the United States and other countries. Intel, Thunderbolt and Core are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States or other countries. USB Type-C is a trademark or registered trademark of USB Implementers Forum in the United States and other countries. Bluetooth is a trademark or registered trademark of Bluetooth SIG, Inc. in the United States and other countries. Microsoft, Windows and Lync are trademarks or registered trademarks of Microsoft Corporation in the United States and other countries. Realtek is a trademark or registered trademark of Realtek Semiconductor Corporation in the United States and other countries. HDMI is a trademark or registered trademark of HDMI Licensing, LLC in the United States and other countries. Kensington is a trademark or registered trademark of Kensington Technology Group in the United States and other countries. BAPCo and MobileMark are trademarks of registered trademarks of Business Applications Performance Corporation, in the United States and other countries. Absolute Persistence is a trademark or registered trademark of Absolute Software Corporation in the United States and other countries. BAPCo and MobileMark are trademarks of registered trademarks of Business Applications Performance Corporation, in the United States and other countries. McAfee is a trademark or registered trademark of Network Associates/McAfee.com Inc. in the United States and other countries. LiveSafe is a trademark or registered trademark of LiveSafe in the United States and other countries. ENERGY STAR and the ENERGY STAR logo are trademarks or registered trademarks of the U.S. Environmental Protection Agency in the United States and other countries. All other trademarks referenced herein are the property of their respective owners.

Copyright© 2019 Fujitsu America, Inc.
All rights reserved.
FPC65-7986-02 05/19

CONTACT

FUJITSU AMERICA, INC.

Address: 1250 East Arques Avenue Sunnyvale, CA 94085-3470, U.S.A.

Telephone: 800 831 3183 or 408 746 6000

Website: www.fujitsu.com/us

Contact Form: us.fujitsu.com/ContactFujitsu

Have a question? Email us at: AskFujitsu@us.fujitsu.com